



PCT/GB 2003 / 0 0 0 9 6 2  
10 0 1 2 4 1

2 JUL 2004

INVESTOR IN PEOPLE

The Patent Office  
Concept House  
Cardiff Road  
Newport  
South Wales  
NP10 8QQ

REC'D 0 3 APR 2003

WIPO

PCT

## PRIORITY DOCUMENT

SUBMITTED OR TRANSMITTED IN  
COMPLIANCE WITH RULE 17.1(a) OR (b)

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.


Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed

*He Behan*

Dated


20 March 2003



BEST AVAILABLE COPY

**Request for grant of a patent**

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)



07MAR02 E701283-4 D02890  
P01/7700 0.00-0205275.1

The Patent Office

Cardiff Road  
Newport  
South Wales  
NP9 1RH

1. Your reference

RSJ07355GB

2. Patent application number

(The Patent Office will fill in this part)

06 MAR 2002

**0205275.1**

3. Full name, address and postcode of the or of each applicant (*underline all surnames*)

De La Rue International Limited  
De La Rue House  
Jays Close, Viables  
Basingstoke, Hants  
RG22 4BS, United Kingdom

Patents ADP number (*if you know it*)

If the applicant is a corporate body, give the country/state of its incorporation.

Great Britain

756362001

4. Title of the invention

CURRENCY BILL RECYCLING MACHINE

5. Name of your agent (*if you have one*)

Gill Jennings & Every

"Address for service" in the United Kingdom to which all correspondence should be sent (*including the postcode*)

Broadgate House  
7 Eldon Street  
London  
EC2M 7LH

Patents ADP number (*if you know it*)

745002

6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (*if you know it*) the or each application number

Country

Priority application number  
(*if you know it*)

Date of filing  
(day / month / year)

7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application

Number of earlier application

Date of filing  
(day / month / year)

8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (*Answer 'Yes' if:*

YES

- a) any applicant named in part 3 is not an inventor, or
  - b) there is an inventor who is not named as an applicant, or
  - c) any named applicant is a corporate body.
- See note (d))

Patents Form 1/77

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document

Continuation sheets of this form

Description

7 /

Claim(s)

2 /

Abstract

1 /

Drawing(s)

4 + 4 *James*

10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (*Patents Form 7/77*)

Request for preliminary examination and search (*Patents Form 9/77*)

Request for substantive examination (*Patents Form 10/77*)

Any other documents  
(please specify)

NO

11. For the applicant  
Gill Jennings & Every

I/We request the grant of a patent on the basis of this application.

Signature

*R. E. Skone James*

Date

06 March 2002

12. Name and daytime telephone number of person to contact in the United Kingdom

R. E. Skone James

020 7377 1377

**Warning**

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

**Notes**

- a) If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- b) Write your answers in capital letters using black ink or you may type them.
- c) If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- d) If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- e) Once you have filled in the form you must remember to sign and date it.
- f) For details of the fee and ways to pay please contact the Patent Office.

CURRENCY BILL RECYCLING MACHINE

The invention relates to a currency bill recycling machine allowing currency bills to be deposited and recycled for dispensing.

Currency bill recycling machines are often used for teller assist purposes. They relieve the teller of the need to check deposited bills for authenticity and denomination and typically bills which cannot be authenticated or denominated are immediately returned to the teller who can then return them to the customer, destroy them or the like. The De La Rue TCR Twin Safe is a recent example of such a teller assist recycling machine.

Problems can arise, however, when currency bills of poor condition or fitness are offered for deposit. These may be unfit for a variety of reasons such as undue soiling, tears, corner folds and the like. Conventionally, it has been necessary for the teller to manually prevent these bills from being fed into the recycling machine where they are likely to cause jams. However, some currency bills may be sufficiently fit to pass a visual test but nevertheless are not acceptable for recycling. In addition, manually inspecting bills when presented in a bundle is particularly difficult for a teller who must do this quickly.

Fitness detectors are well known but typically are only utilized in large scale sorting machines. An example of a recycler which carries out a fitness test is described in US-A-2001/0015309. In this machine, bills are tested for authenticity, denomination and fitness. However, if an unfit (or counterfeit) bill is detected then it is immediately sent back to an output. This is unsatisfactory from the point of view of both a customer and a teller because it is then necessary to manually check the returned bill to determine whether it has been rejected on grounds of genuineness or fitness and it is particularly undesirable for unfit but genuine notes to be returned.

In accordance with the present invention, a currency bill recycling machine has an input and output for receiving and dispensing currency bills; a transport system; a detection system to which bills are fed by the transport system from the input, the detection system being adapted to determine at least the fitness of each bill; and a recycling store and an unfit bill store to which bills are fed by the transport system, the detection system being adapted to cause fit bills to be fed to the recycling store, and to cause unfit bills to be fed to the unfit bill store, the transport system being operable to withdraw bills from the recycling store for dispensing via the output.

We have developed a modified form of currency bill recycling machine in which unfit bills are not fed back to the output but rather are fed to an unfit bill store which enables the bills to be accepted but prevents them from being recycled.

Typically, the unfit bill store will comprise a simple storage bin or the like into which the unfit bills are dropped or otherwise fed without being positively stacked. A problem which has arisen in the past is that a stacking mechanism such as a stacking wheel or roll storage module has jammed when presented with certain types of unfit bill, for example having a tear or corner fold.

Typically, the detection system is adapted to determine one or both of the denomination and authenticity of each bill.

In a particularly preferred aspect of the invention, the machine further comprises an additional, stacking store, the detection system being adapted to cause genuine bills which are not sufficiently fit for recycling by the machine to be fed to the additional, stacking store.

The use of this additional store allows a distinction to be made between different types of genuine, fit bills. In particular, certain bills which are sufficiently fit for recirculation are not fit for recycling either by the same

or a different recycling machine, particularly if they are unduly limp. In this preferred aspect of the invention, it is possible to sort genuine bills, in accordance with their degree of fitness, between the recycling store and the additional, stacking store. By providing an additional, stacking store, these non-recyclable fit bills can be neatly stacked in the store using a conventional stacking mechanism such as a stacking wheel or roll storage module.

It will be appreciated that although we have referred so far to the use of a single recycling store and unfit bill store, there could, of course, be more than one of each, particularly, in the case of recycling stores, one for each different denomination to be handled.

In some cases, the or each recycling store will be utilized solely within the currency bill recycling machine but in other cases, one (or more) of the recycling stores may be removable from the machine for use with another bill dispensing machine such as an ATM. This has the advantage that bills can be immediately made ready for dispensing without the need for separate sorting processes to be carried out.

The detection system may utilize any conventional components for determining fitness and optionally authenticity and denomination of the bills, typically including pattern and/or size recognition for denomination; magnetic, IR or UV detection for authenticity; and image processing and/or acoustic limpness detection for fitness.

As explained above, the currency bill recycling machine according to the invention is particularly useful for use as a teller assist machine but could be used in conventional, non-teller applications also.

An example of a teller assist currency bill recycling machine according to the invention will now be described with reference to the accompanying drawings, in which:-

Figure 1 is a schematic diagram of the major components of the machine;

Figure 2 illustrates the detection system in more detail;

Figure 3 illustrates a representation of a currency bill having a number of unfit properties; and,

5 Figure 4 is a block diagram illustrating the processing algorithm performed by the detection system.

The teller assist machine shown in Figure 1 has two primary components, a bill or note handling module (NHM) 1 mounted on top of a banknote storage module 2 located within a secure housing such as a safe. The NHM 1 includes an input station 3 from which notes are fed singly by a transport system generally designated 4 to a detection system 5. The detection system 5 includes a microprocessor 6 which not only controls the performance of the detection system but also the transport system and diverters within the transport system. Notes are fed by the transport system 4 from the detection system 5 to a diversion point 7 where the notes can either be fed to one of a pair of output stations 8,9 conveniently located adjacent respective tellers or through a slot 10 in the housing of the module 2.

From the slot 10, the notes can be fed either to one of a set of four recycling stores 11-14 or to one of a set of three cassettes or containers 15-17.

25 The detailed construction of the transport system and diverters as well as the stores will not be described in detail since these are all conventional in themselves and will be well understood by persons of ordinary skill in the art. Indeed, the overall system is based closely on the De La Rue TCR Twin Safe machine.

30 The detection system 5 is shown in more detail in Figure 2. Notes are first fed through an acoustic limpness or crackle detector 20 in which they are bent around a 90° angle as they pass along the transport path and as they bend, they will emit a sound or crackle which is detected by a microphone 21. The amplitude of this sound is then passed from the microphone 21 to the microprocessor 6. The

notes then pass a set of three sensor assemblies 22,23,24 which inspect the notes as will be described in more detail below. Each of the sensor assemblies 22-24 is connected to the microprocessor 6.

5       The microprocessor 6 determines from the information supplied from the sensor assemblies 22-24 and acoustic limpness detector 20 the denomination, genuineness and fitness of each note. The visible appearance of the note is detected in response to visible irradiation from sensors  
10 25,26 in the assemblies 22,23 respectively from which visual images of the appearance of each side of the note is obtained and stored, an example being shown in Figure 3. In other examples, the appearance of only one side is determined. After normalization and correction for skew  
15 and the like, the images are then used to determine denomination by virtue of the note size or, in more sophisticated examples, by carrying out a pattern recognition process in which the image is compared with a set of known patterns so as to determine denomination.  
20 This is indicated by steps 40,41 in Figure 4.

For the purposes of determining authenticity, each side of the note is irradiated with infrared radiation, the response to that irradiation being sensed by sensors 27,28 in assemblies 22,23 respectively. Again, a pattern can be  
25 built up which can then be compared with known patterns of genuine notes. Conveniently, the denomination processing is carried out first to limit the patterns which need to be used for authentication.

Optionally, a further magnetic, authentication test  
30 may be made using a magnetic sensor 29 in the assembly 24. These steps are again indicated by steps 40 and 41 in Figure 4.

The microprocessor 6 also utilizes the IR and visible image data to determine the fitness of the note. Fitness  
35 criteria which can be assessed include physical damage (open and closed tears), folds (dog ears, Z folds, side folds), crumples, stains, written or drawn visual



modifications ("graffiti"), soil and foreign objects (tape, staples, paperclips). Some of these are indicated at Figure 3 and it will be noted that for some, it is useful to include a capacitive sensor 30. In addition, the  
5 limpness of the notes can be assessed using the acoustic limpness detector 20. These processes are indicated at steps 42,43 in Figure 4.

As a result of steps 42,43, a fitness decision can be made (step 44) so as to assess firstly whether the note is  
10 fit or unfit and then whether a distinction can be made between reusable and non-reusable fit notes. The distinction is based on a statistical analysis of the distribution of the estimated fitness criteria on a training population of real currency. In addition, a user-  
15 dependent threshold may be used to bias the decision towards a more or less critical behaviour. This is because fitness criteria typically do not permit a clear distinction between the classes, and decisions should be tuned in order to match as closely as possible the  
20 subjective perception of the individual human operator.

The user-dependent thresholds applied by the fitness decision algorithm are determined empirically.

Ultimately, as can be seen in Figure 4, the microprocessor 6 will make a decision on denomination, authenticity and fitness and issue a routing signal  
25 accordingly. It will also increment counts relating to the number of notes of each denomination, typically broken down between fit and unfit.

Non-genuine notes are fed immediately to one of the  
30 outputs 8,9.

Reusable fit notes are directed by the transport system 4 to an appropriate one of the recycling stores 11-14 from where they can be recycled when the machine is used for dispensing. Each of the stores 11-14 can comprise a  
35 roll storage module or stacking cassette (with stacking wheel) as is well known.

Genuine, identified notes which are fit enough for recirculation but not recycling are stacked in one of a pair of cassettes 16,17 while unfit notes are dropped into a store 15. The store 15 does not include any stacking mechanism since it would be difficult to store unfit notes, particularly limp notes and they are simply dropped into the store 15.

Conveniently, the stores 11-14 are removable so that they can be located in another dispensing machine such as an ATM. The stores 15-17 may be fixed in position or removable.

When the teller wishes to dispense notes, he will enter the required combination of denominations via an input device (not shown) and the microprocessor 6 will operate the transport system to extract the required combination of notes from appropriate recycling stores 11-14 where they are fed through the slot 10 to the appropriate output 8,9.

In some modes, the machine can sort notes from the input 3 directly to the outputs 8,9, so as simply to separate fit and unfit notes optionally independent of denomination and/or authenticity.

CLAIMS

1. A currency bill recycling machine having an input and output for receiving and dispensing currency bills; a  
5 transport system; a detection system to which bills are fed by the transport system from the input, the detection system being adapted to determine at least the fitness of each bill; and a recycling store and an unfit bill store to which bills are fed by the transport system, the detection  
10 system being adapted to cause fit bills to be fed to the recycling store, and to cause unfit bills to be fed to the unfit bill store, the transport system being operable to withdraw bills from the recycling store for dispensing via the output.
- 15 2. A machine according to claim 1, wherein the detection system is adapted to determine the authenticity of each bill.
3. A machine according to claim 2, wherein the detection system is adapted to cause non-genuine bills to be fed to  
20 the output.
4. A machine according to claim 2 or claim 3, further comprising an additional, stacking store, the detection system being adapted to cause genuine bills which are not sufficiently fit for recycling by the machine to be fed to  
25 the additional, stacking store.
5. A machine according to any of the preceding claims, wherein the output and input are formed by separate openings.
6. A machine according to any of the preceding claims,  
30 wherein the recycling store comprises a roll storage module or a cassette and stacking system.
7. A machine according to any of the preceding claims, wherein the unfit bill store comprises a bin into which rejected bills are dropped.
- 35 8. A machine according to any of the preceding claims, wherein the recycling store is removable from the machine

for use with another bill dispensing machine such as an ATM.

5 9. A machine according to any of the preceding claims, wherein the detection system is adapted to determine the denomination of each bill.

10. A machine according to any of the preceding claims, wherein the stores are contained within a secure housing.

10 11. A machine according to any of the preceding claims, the machine having more than one output store, the transport system being controllable to feed bills directly from the input to the output stores via the detection system without being fed to the recycling and/or unfit bill stores.

15 12. A machine according to any of the preceding claims, the machine being constructed as a teller assist machine.

ABSTRACTCURRENCY BILL RECYCLING MACHINE

5           A currency bill recycling machine has an input (3) and  
output (8,9) for receiving and dispensing currency bills;  
a transport system (4); and a detection system (5) to which  
bills are fed by the transport system from the input (3).  
The detection system (5) is adapted to determine the  
10   denomination, authenticity and fitness of each bill. A  
recycling store (11-14) and an unfit bill store (15) are  
provided to which bills are fed by the transport system  
(4). The detection system (5) is adapted to cause genuine,  
fit bills to be fed to the recycling store (11-14), and to  
15   cause unfit bills to be fed to the unfit bill store (15),  
the transport system being operable to withdraw bills from  
the recycling store for dispensing via the output (8,9).




FIG 1




FIG 2




FIG 3






FIG 4

THE PATENT OFFICE  
20 MAR 2003  
RECEIVED  
RECEIVED

THE PATENT OFFICE  
20 MAR 2003  
RECEIVED  
RECEIVED

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**